

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**



THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Pioneer Hi-Bred International, Inc.

Whereas, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF *eighteen* YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT (34 Stat. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

CORN

'PHN46'

In Testimony Whereof, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C. this 29th day of November in the year of our Lord one thousand nine hundred and ninety-one.

Attest:

Kenneth Evans
Commissioner
Plant Variety Protection Office
Agricultural Marketing Service

Robert Lee Segebart
Sec. App. No. 10/768,338

REF
A8

Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, OIRM, Room 404-W, Washington, D.C. 20250; and to the Office of Management and Budget, Paperwork Reduction Project (0581-0055), Washington, 20250.

FORM APPROVED: OMB 0581-0055, Expires 12/31/91

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE
(Instructions on reverse)

Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).

1. NAME OF APPLICANT(S) (as it is to appear on the Certificate) Pioneer Hi-Bred International, Inc.		2. TEMPORARY DESIGNATION OR EXPERIMENTAL NO.	3. VARIETY NAME PHN46
4. ADDRESS (street and no. or R.F.D. no., city, state, and ZIP) Plant Breeding Division Department of Corn Breeding PO Box 85 Johnston, IA 50131-0085		5. PHONE (include area code) 515/270-3300	FOR OFFICIAL USE ONLY PVPO NUMBER 9000249
6. GENUS AND SPECIES NAME Zea mays	7. FAMILY NAME (Botanical) Gramineae		
8. CROP KIND NAME (Common Name) Corn	9. DATE OF DETERMINATION Oct. 1988	Filing and Examination Fee. \$ 2150.00 Date August 28, 1990	
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGANIZATION (Corporation, partnership, association, etc.) Corporation		Date August 28, 1990	
11. IF INCORPORATED, GIVE STATE OF INCORPORATION Iowa	12. DATE OF INCORPORATION May 6, 1926	Certificate Fee \$ 250 Date November 6, 1991	
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO SERVE IN THIS APPLICATION AND RECEIVE ALL PAPERS Dr. Bruce D. McBratney Plant Breeding Division Pioneer Hi-Bred International, Inc. PO Box 85 Johnston, IA 50131-0085 PHONE (include area code): 515/270-3546			
14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Follow INSTRUCTIONS on reverse)			
a. <input checked="" type="checkbox"/> Exhibit A, Origin and Breeding History of the Variety b. <input checked="" type="checkbox"/> Exhibit B, Novelty Statement. c. <input checked="" type="checkbox"/> Exhibit C, Objective Description of Variety d. <input checked="" type="checkbox"/> Exhibit D, Additional Description of Variety e. <input checked="" type="checkbox"/> Exhibit E, Statement of the Basis of Applicant's Ownership. f. <input checked="" type="checkbox"/> Seed Sample (2,500 viable untreated seeds) Date Seed Sample mailed to Plant Variety Protection Office August 24, 1990 g. <input checked="" type="checkbox"/> Filing and Examination Fee (\$2,150) made payable to "Treasurer of the United States."			
15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SOLD BY VARIETY NAME ONLY AS A CLASS OF CERTIFIED SEED? (See section 82(a) of the Plant Variety Protection Act.) <input type="checkbox"/> YES (If "YES," answer items 16 and 17 below) <input checked="" type="checkbox"/> NO (If "NO," skip to item 18 below)			
16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS? <input type="checkbox"/> YES <input type="checkbox"/> NO		17. IF "YES" TO ITEM 16, WHICH CLASSES OF PRODUCTION BEYOND BREEDER SEED? <input type="checkbox"/> FOUNDATION <input type="checkbox"/> REGISTERED <input type="checkbox"/> CERTIFIED	
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VARIETY IN THE U.S. <input type="checkbox"/> YES (If "YES," through <input type="checkbox"/> Plant Variety Protection Act <input type="checkbox"/> Patent Act Give date _____) <input checked="" type="checkbox"/> NO			
19. HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR MARKETING IN THE U.S. OR OTHER COUNTRIES? <input type="checkbox"/> YES (If "YES," give names of countries and dates) <input checked="" type="checkbox"/> NO			

20. The applicant(s) declare(s) that a viable sample of basic seeds of this variety will be furnished with the application and will be replenished upon request in accordance with such regulations as may be applicable.
The undersigned applicant(s) is (are) the owner(s) of this sexually reproduced novel plant variety, and believe(s) that the variety is distinct, uniform, and stable as required in section 41, and is entitled to protection under the provisions of section 42 of the Plant Variety Protection Act.
Applicant(s) is (are) informed that false representation herein can jeopardize protection and result in penalties.

SIGNATURE OF APPLICANT (Owner(s)) Pioneer Hi-Bred International, Inc.	CAPACITY OR TITLE	DATE
SIGNATURE OF APPLICANT (Owner(s)) Bruce D. McBratney	Technical Support Coordinator	8/15/90

14A. Exhibit A. Origin and Breeding History

Pedigree: PHZ51/PHV78)X1113X

Pioneer Line PHN46, Zea mays L., a yellow dent corn inbred, was developed by Pioneer Hi-Bred International, Inc. from the single cross PHZ51 x PHV78 using the pedigree method of breeding. The progenitors of PHN46 are proprietary inbred lines of Pioneer Hi-Bred International, Inc. Selfing and selection were practiced within the above F1 cross for six generations in the development of PHN46 at Princeton, Illinois. During line development, crosses were made to inbred testers for the purpose of estimating the line's combining ability. Yield trials were grown at Princeton, Illinois, as well as other Pioneer research stations in the mid-maturity areas of the United States Corn Belt. After initial testing, additional hybrid combinations have been evaluated and subsequent generations of the line have been grown and hand-pollinated with observations made for uniformity.

PHN46 has shown uniformity and stability for all traits as described in Exhibit C - "Objective Description of Variety". It has been self-pollinated and ear-rowed a sufficient number of generations with careful attention paid to uniformity of plant type to assure genetic homozygosity and phenotypic stability. The line has been increased both by hand and in isolated fields with continued observations for uniformity.

No variant traits have been observed or are expected in PHN46.

9000249

Developmental History for PHN46

<u>Season/Year</u>	<u>Inbreeding Level</u>
Summer 1984	F0 (Cross made)
Winter 1985	F1
Summer 1985	F2
Winter 1986	F3
Summer 1986	F4
Winter 1987	F5
Summer 1987	F6
Winter 1988	F7*
Summer 1988	F8
Winter 1989	F9
Summer 1989	F10**

* PHN46 was selfed and selected through F7 generation.

** PHN46 was selfed and ear-rowed from F8 through F10 generations.

9000249

Exhibit A: During the early development (F1-F2) of the inbreds, selection was based on agronomic characteristics (e.g., plant height, stalk lodging, disease and insect resistance, etc.) whereas, from F3 through later generations selection was based on yield as well as agronomic characteristics. The most important traits during selection would be those described in the definitions section and in Exhibit D. Yield is looked at on a per se basis and how well an inbred performs in hybrid combination.

14B. Exhibit B. Novelty Statement

PHN46 is most similar to the Pioneer Hi-Bred International, Inc. proprietary inbred line PHZ51 (PVP Certificate No. 8600132) and PHV78 (PVP Certificate No. 8800003). PHN46 is earlier in maturity compared to PHZ51. PHN46 silks approximately 50 (1520 versus 1570) growing degree units earlier than PHZ51 (Exhibit C). The leaves of PHN46 are lighter in color (medium green versus dark green), have more marginal waves (few versus none), and have more longitudinal creases (few versus absent) than PHZ51. The anther color of PHN46 is pink compared to yellow for PHZ51. PHN46 has a lighter fresh husk color (light green versus dark green) and a more upright ear shank (upright versus pendant) than PHZ51.

PHN46 is earlier in maturity compared to PHV78. PHN46 silks approximately 90 (1520 versus 1610) growing degree units earlier than PHV78 (Exhibit C). PHN46 leaves are lighter color (medium green versus dark green) and have more marginal waves (few versus none) than PHV78. PHN46 has pink anthers whereas PHV78 has red. PHN46 has green silk color (versus red) and light green fresh husk color (versus dark green) compared to PHV78.

9000249

VARIETY DESCRIPTION INFORMATION

INBRED - PHN46

Type: Dent

Region Best Adapted: Northcentral

A. Maturity: Average across maturity zones. Zone : 0

Heat Unit Shed: 1510
Heat Unit Silk: 1520
No. Reps: 40

HEAT UNITS = $\frac{[\text{Max.Temp. } (<86^{\circ}\text{F.}) + \text{Min. Temp } (>50^{\circ}\text{F.})]*}{2}$ - 50

* If maximum is greater than 86 degrees fahrenheit, then 86 is used and if minimum is less than 50, then 50 is used. Heat units accumulated daily and can not be less than 0.

B. Plant Characteristics:

Plant height (to tassel tip): 198 cm
Length of top ear internode: 12 cm
Number of ears per stalk: Slight Two-ear Tendency
Ear height (to base of top ear): 77 cm
Number of tillers: None
Cytoplasm type: Normal

C. Leaf:

Color: (WF9) Medium Green
Angle from Stalk: 30-60 degrees
Marginal Waves: (WF9) Few
Number of Leaves (mature plants): 18
Sheath Pubescence: (W22) Light
Longitudinal Creases: (OH56A) Few
Length (Ear node leaf): 65 cm
Width (widest point, ear node leaf): 10 cm

D. Tassel:

Number lateral branches: 4
Branch Angle from central spike: > 45 degrees
Pollen Shed: Heavy based on Pollen Yield Test
(107% of experiment means)
Peduncle Length (top leaf to basal branches): 20 cm
Anther Color: Pink
Glume Color: Green

E. Ear (Husked Ear Data Except When Stated Otherwise):

Length: 15 cm
Weight: 103 gm
Mid-point Diameter: 44 mm
Silk Color: Green
Husk Extension (Harvest stage): Long (8-10 cm)
Husk Leaf: Short (< 8 cm)
Taper of Ear: Slight
Position of Shank (dry husks): Upright
Kernel Rows: Straight, Distinct Number = 14
Husk Color (fresh): Light Green
Husk Color (dry): Buff
Shank Length: 13 cm
Shank (No. of internodes): 8

F. Kernel (Dried):

Size (from ear mid-point)
Length: 10 mm
Width: 8 mm
Thick: 4 mm
Shape Grade (% rounds): < 20 (16% medium round based on Parent
Test Data)
Pericarp Color: Colorless
Aleurone Color: Homozygous Yellow
Endosperm Color: Yellow
Endosperm Type: Normal Starch
Gm Wt/100 Seeds (unsized): 33 gm

G. Cob:

Diameter at mid-point: 24 mm
Strength: Strong
Color: Red

H. Diseases:

Corn Lethal Necrosis (MCMV=Maize Chlorotic Mottle Virus and
MDMV=Maize Dwarf Mosaic Virus): Intermediate
Maize Dwarf Mosaic Complex (MDMV & MCDV=Maize Dwarf
Virus): Intermediate
Anthracnose Stalk Rot (C. graminicola): Intermediate
S. Leaf Blight (B. maydis): Intermediate
N. Leaf Blight (E. turcicum): Intermediate
Eye Spot (K. zeae): Intermediate
Gray Leaf Spot (C. zeae): Susceptible
Stewart's Wilt (E. stewartii): Resistant
Goss's Wilt (C. nebraskense): Highly Resistant
Common Smut (U. maydis): Highly Resistant
Head Smut (S. reiliana): Resistant
Fusarium Ear Mold (F. moniliforme): Resistant

I. Insects:

European Corn Borer-1 Leaf Damage (Pre-flowering): Susceptible
European Corn Borer-2 (Post-flowering): Intermediate

The above descriptions are based on a scale of 1-9, 1 being
highly susceptible, 9 being highly resistant.

S (Susceptible): Would generally represent a score of 1-3.
I (Intermediate): Would generally represent a score of 4-5.
R (Resistant): Would generally represent a score of 6-7.
H (Highly Resistant): Would generally represent a score of
8-9. Highly resistant does not imply
the inbred is immune.

J. Variety Most Closely Resembling:

Character	Inbred
Maturity	PHZ51
Usage	PHV78

PHZ51 (PVP Certificate No. 8600132) and PHV78 (PVP Certificate No.
8800003) are Pioneer Hi-Bred International, Inc. proprietary
inbreds.

Data for Items B, C, D, E, F, and G is based primarily on a maximum of
two reps from Johnston, Iowa grown in 1989, plus description information
from the maintaining station.

9000249

CLARIFICATION OF DATA IN EXHIBITS C AND D

Please note the data presented in Exhibit C, "Objective Description of Variety," is data collected primarily at Johnston, Iowa plus description information from the maintaining station. The data in Exhibit D, "Additional Description of Variety," is data from comparisons of inbreds or hybrids grown in the same tests in the adapted growing area of PHN46.

DEFINITIONS

In the description and examples, a number of terms are used herein. In order to provide a clear and consistent understanding of the specification and claims, including the scope to be given such terms, the following definitions are provided:

BAR PLT = BARREN PLANTS. This is the percent of plants per plot that were not barren (lack ears).

BRT STK = BRITTLE STALKS. This is a measure of the stalk breakage near the time of pollination, and is an indication of whether a hybrid or inbred would snap or break near the time of flowering under severe winds. Data are presented as percentage of plants that did not snap.

BU ACR = YIELD (BUSHEL/ACRE). Actual yield of the grain at harvest adjusted to 15.5% moisture. ABS is in absolute terms and % MN is percent of the mean for the experiments in which the hybrid or inbred was grown.

DRP EAR = DROPPED EARS. This is a measure of the number of dropped ears per plot and represents the percentage of plants that did not drop ears prior to harvest.

EAR HT = EAR HEIGHT. The ear height is a measure from the ground to the top developed ear node attachment and is measured in centimeters.

EST CNT = EARLY STAND COUNT. This is a measure of the stand establishment in the spring and represents the number of plants that emerge on a per plot basis for the hybrid or inbred.

GDU SHD = GDU TO SHED. The number of growing degree units (GDUs) or heat units required for an inbred line or hybrid to have approximately 50 percent of the plants shedding pollen and is measured from the time of planting. Growing degree units are calculated by the Barger Method, where the heat units for a 24-hour period are:

$$\text{GDU} = \frac{(\text{Max. temp.} + \text{Min. temp.})}{2} - 50$$

The highest maximum temperature used is 86°F and the lowest minimum temperature used is 50°F. For each inbred or hybrid it takes a certain number of GDUs to reach various stages of plant development.

GDU SLK = GDU TO SILK. The number of growing degree units required for an inbred line or hybrid to have approximately 50 percent of the plants with silk emergence from time of planting. Growing degree units are calculated by the Barger Method as given in GDU SHD definition.

GRN QUL = QUAL. = GRAIN QUALITY. This is a 1 to 9 rating for the general quality of the shelled grain as it is harvested based on such factors as the color of the harvested grain, any mold on the grain, and any cracked grain. High scores indicate good grain quality and low scores indicate poor grain quality.

MST = HARVEST MOISTURE. The moisture is the actual percentage moisture of the grain at harvest.

PLT HT = PLANT HEIGHT. This is a measure of the height of the plant from the ground to the tip of the tassel in centimeters.

RT LDG = ROOT LODGING. Root lodging is the percentage of plants that do not root lodge; plants that lean from the vertical axis at an approximately 30° angle or greater would be counted as root lodged.

SDG VGR = SEEDLING VIGOR. This is the visual rating (1 to 9) of the amount of vegetative growth after emergence at the seedling stage (approximately five leaves). A higher score indicates better vigor and a low score indicates poorer vigor.

STA GRN = STAY GREEN. Stay green is the measure of plant health near the time of black layer formation (physiological maturity). A high score indicates better late-season plant health.

STK LDG = STALK LODGING. This is the percentage of plants that did not stalk lodge (stalk breakage) as measured by either natural lodging or pushing the stalks and determining the percentage of plants that break below the ear.

TST WT = TEST WEIGHT UNADJUSTED. The measure of weight of the grain in pounds for a given volume (bushel).

9000249

140. EXHIBIT D. ADDITIONAL DESCRIPTION OF PHN46. INBRED PER SÉ YIELD TEST COMPARISON OF PHN46 AND PHV78 EVALUATED OVER THREE YEARS.

VARIETY #1 - PHN46 INBRED
VARIETY #2 - PHV78 INBRED

* = 10% SIG + = 5% SIG # = 1% SIG																				
YEAR	VAR	BU	ACR	BU	MST	BAR	PLT	HT	EAR	SDG	EST	DRP	GDU	CDU	TST	GRN	STA	STK	RT	BRT
	#	ABS	1MN	ABS	ABS	ABS	ABS	HT	ABS	ABS	CNT	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS
88	1				100.0	190.5	71.1		6.1	36.9			1536	1556			3.3			
	2				91.2	234.4	78.0		5.1	32.8			1597	1665			6.7			
	LOCS				2	3	3	6	12				14	14			3			
	PROB				.205	.059*	.015+	.227	.005#				.001#	.000#			.063*			
89	1	64.8	140	29.5	95.7	177.3	70.1		6.1	33.1			1446	1455	49.3		2.3			100.0
	2	40.5	88	31.9	76.2	210.8	76.2		4.6	26.6			1527	1556	47.8		3.7			100.0
	LOCS	1	1	1	1	6	5		12	19			27	23	1					1
	PROB					.008#	.654		.021+	.001#			.000#	.000#			.423			
90	1	58.3	119	18.6	95.8	195.6	67.8		5.1	26.0	100.0		1519	1538	54.6	4.8	4.5	79.6	100.0	92.9
	2	40.0	80	21.6	89.9	226.3	77.0		3.3	20.5	99.6		1622	1675	53.0	4.5	5.9	95.7	98.7	100.0
	LOCS	3	3	3	5	8	8		14	23	3		17	17	3		7	3	3	1
	PROB	.0018	.013+	.165	.211	.0008	.031+	.0008	.0018	.423	.0008	.0008	.141	.423	.004#	.055*	.423			
TOTAL SUM	1	59.9	124	21.3	96.8	188.2	69.1		5.7	30.9	100.0		1489	1507	53.3	4.8	3.7	79.6	100.0	96.4
	2	40.1	82	24.2	89.0	222.2	77.0		4.2	25.4	99.6		1572	1622	51.7	4.5	5.6	95.7	98.7	100.0
	LOCS	4	4	4	8	17	16		34	54	3		58	54	4	3	13	3	3	2
	DIFF	19.8	42	2.9	7.8	34.0	7.9		1.5	5.5	0.4		82	115	1.6	0.3	1.8	16.1	1.3	3.6
	PROB	.0018	.0038	.064*	.032+	.0008	.073*		.0008	.0008	.423	.0008	.0008	.0008	.047+	.423	.0018	.055*	.423	.500
YEAR	VAR	BU	ACR	BU	MST	BAR	PLT	HT	EAR	SDG	EST	DRP	GDU	CDU	TST	GRN	STA	STK	RT	BRT
	#	ABS	1MN	ABS	ABS	ABS	ABS	HT	ABS	ABS	CNT	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS

9000249

140. EXHIBIT D. ADDITIONAL DESCRIPTION OF PHN46. INBRED PER SE YIELD TEST COMPARISON OF PHN46 AND PHZ51 EVALUATED OVER THREE YEARS.

VARIETY #1 - PHN46 INBRED
VARIETY #2 - PHZ51 INBRED

		* = 10% SIG + = 5% SIG ! = 1% SIG																				
YEAR	VAR	BU	ACR	BU	MST	BAR	PLT	HT	EAR	SDG	EST	DRP	GDU	GDU	SLK	WTA	TST	GRN	STA	STK	RT	BRT
	#	ABS	1MN	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS
88	1					100.0	190.5	71.1	6.1	26.8			1543	1557					4.5			
	2					79.5	218.4	78.0	5.4	29.5			1505	1572					4.5			
	LOCS					.421	.3	3	9	11			13	13							4	
	PROB					.0053*	.602	.050*	.119				.0098	.352					.0008			
89	1					181.1	72.4	6.0	30.9				1425	1452					4.8		40.9	
	2					204.7	69.3	5.3	31.1				1429	1467					4.4		90.9	
	LOCS					.5	4	12	20				32	32					3		1	
	PROB					.0038	.527	.095*	.737				.728	.116					.808			
90	1	58.3	119	18.6	96.5	191.0	66.5	4.9	26.4	100.0			1479	1501	54.6	4.8	5.4	77.0	100.0	90.2		
	2	53.0	106	20.5	93.8	217.2	80.0	3.9	26.0	99.5			1488	1523	57.5	6.1	5.6	84.7	99.8	98.5		
	LOCS	3	3	3	6	10	18	29	3	25	23	3	3	3	9	7	4	2				
	PROB	.152	.158	.0058	.277	.0008	.0008	.0008	.024+	.712	.423		.303	.0068	.0058	.079*	.768	.487	.391	.089*		
TOTAL SUM	1	58.3	119	18.6	97.4	188.2	66.8	5.5	27.9	100.0			1473	1495	54.6	4.8	5.4	77.0	100.0	90.2		
	2	53.0	106	20.5	90.2	213.9	77.0	4.7	28.4	99.5			1470	1513	57.5	6.1	5.1	84.7	98.0	98.5		
	LOCS	3	3	3	6	18	17	39	60	3	60	58	3	3	16	7	5	2				
	DIFF	5.3	13	1.9	7.1	25.7	8.2	0.9	0.4	0.5	3	18	2.8	1.2	0.1	7.7	9.8	8.3				
	PROB	.152	.158	.0058	.156	.0008	.064*	.0018	.462	.423		.565	.0028	.0058	.079*	.910	.487	.382	.089*			
YEAR	VAR	BU	ACR	BU	MST	BAR	PLT	HT	EAR	SDG	EST	DRP	GDU	GDU	SLK	WTA	TST	GRN	STA	STK	RT	BRT

14D. EXHIBIT D. ADDITIONAL DESCRIPTION OF PHN46.
INERED PER SE YIELD TEST COMPARISON OF PHN46 AND PHN60 EVALUATED OVER
TWO YEARS.

VARIETY #1 - PHN46
VARIETY #2 - PHN60

		VARIABLE #2 = FIF00												* = 10% SIG + = 5% SIG # = 1% SIG																													
YEAR	VAR #	EU			MST			BAR			PLT			EAR			SDG			EST			DRP			CUU			CUU			TST			GRN			STA			STK		
		ACR	ABS	WYN	ACR	ABS	WYN	ACR	ABS	WYN	ACR	ABS	WYN	ACR	ABS	WYN	ACR	ABS	WYN	ACR	ABS	WYN	ACR	ABS	WYN	ACR	ABS	WYN	ACR	ABS	WYN	ACR	ABS	WYN	ACR	ABS	WYN						
88	1	60.5	104	17.6	100.0	166.4	59.7	5.8	38.0	100.0	1559	1588	54.4	7.3	3.1	76.1	1559	1588	54.4	7.3	3.1	76.1	1559	1588	54.4	7.3	3.1	76.1	1559	1588	54.4	7.3	3.1	76.1	1559	1588	54.4	7.3	3.1	76.1			
	2	19.8	32	28.9	52.3	196.8	72.4	3.3	36.9	100.0	1695	1781	55.4	5.0	8.0	99.1	1695	1781	55.4	5.0	8.0	99.1	1695	1781	55.4	5.0	8.0	99.1	1695	1781	55.4	5.0	8.0	99.1	1695	1781	55.4	5.0	8.0	99.1			
	LOCS	.280	.307	.310	.433	.147	.300	.127	.510	.000#	.001#	.563	.070*	.004#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#		
89	1	60.5	104	17.6	100.0	166.4	59.7	5.8	38.0	100.0	1559	1588	54.4	7.3	3.1	76.1	1559	1588	54.4	7.3	3.1	76.1	1559	1588	54.4	7.3	3.1	76.1	1559	1588	54.4	7.3	3.1	76.1	1559	1588	54.4	7.3	3.1	76.1			
	2	19.8	32	28.9	52.3	196.8	72.4	3.3	36.9	100.0	1695	1781	55.4	5.0	8.0	99.1	1695	1781	55.4	5.0	8.0	99.1	1695	1781	55.4	5.0	8.0	99.1	1695	1781	55.4	5.0	8.0	99.1	1695	1781	55.4	5.0	8.0	99.1			
	LOCS	.280	.307	.310	.433	.147	.300	.127	.510	.000#	.001#	.563	.070*	.004#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#		
TOTAL SUM	1	60.5	104	17.6	100.0	166.4	59.7	5.8	38.0	100.0	1497	1507	54.4	7.3	2.6	76.1	1497	1507	54.4	7.3	2.6	76.1	1497	1507	54.4	7.3	2.6	76.1	1497	1507	54.4	7.3	2.6	76.1	1497	1507	54.4	7.3	2.6	76.1			
	2	19.8	32	28.9	52.3	196.8	72.4	3.3	36.9	100.0	1625	1671	55.4	5.0	6.9	99.1	1625	1671	55.4	5.0	6.9	99.1	1625	1671	55.4	5.0	6.9	99.1	1625	1671	55.4	5.0	6.9	99.1	1625	1671	55.4	5.0	6.9	99.1			
	DIFF	40.7	71	11.3	32.1	16.8	15.2	2.7	2.2	0.0	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#		
PROB	.280	.307	.310	.436	.147	.306*	.067*	.006*	.044+	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#		
	.340	.250	.000#	.041+	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#			
	.012+	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#			

9000249

9000249

140. EXHIBIT D. ADDITIONAL DESCRIPTION OF PHN46. COMPARISON OF PHN46 AND PHV78 CROSSED TO THE SAME INBRED LINE AND THE HYBRIDS EVALUATED OVER TWO YEARS.

VARIETY 01 - PHN46 HYBRID
VARIETY 02 - PHV78 HYBRID

* = 10% SIG + = 5% SIG # = 1% SIG																														
YEAR	VAR	#	BU		MST		PLT		EAR		SDG		EST		DRP		GDU		TST		GRN		STA		STK		RT		BRT	
			ACR	ABS	ACR	ABS	HT	HT	ACR	ABS	VGR	ABS	CNT	ABS	EAR	ABS	SHD	ABS	WTA	ABS	APP	ABS	GRN	ABS	LDG	ABS	LDG	ABS	STK	ABS
89	1	158.7	104	21.0	276.6	129.3	6.3	59.2	99.7	1343	56.6	5.6	6.4	92.1	97.4	96.7														
	2	158.1	103	22.7	292.6	128.0	6.3	57.0	99.4	1372	56.5	5.5	6.2	91.4	90.5	98.9														
	LOCS	47	47	47	19	19	23	33	21	14	47	31	20	41	14	1														
	PROB	.808	.616	.0008	.0008	.566	.619	.0098	.275	.0028	.405	.617	.347	.612	.181															
90	1	156.6	103	20.8	257.6	113.8	7.0	60.2	99.9	1435	56.7	7.1	6.2	95.0	98.3	81.9														
	2	151.4	99	21.7	271.5	115.1	6.1	56.0	99.9	1456	56.2	6.9	5.6	94.2	95.2	94.4														
	LOCS	231	231	232	120	120	118	165	107	55	231	134	134	221	59	17														
	PROB	.0008	.0008	.0008	.0008	.063	.0008	.0008	.862	.0008	.0008	.0008	.0008	.0008	.0008	.0008														
TOTAL SUM	1	157.0	103	20.9	260.1	115.8	6.8	60.0	99.9	1416	56.7	6.8	6.2	94.5	98.1	82.8														
	2	152.5	100	21.9	274.3	116.8	6.2	56.2	99.8	1439	56.2	6.6	5.7	93.8	94.3	94.7														
	LOCS	278	278	279	139	139	141	198	128	69	278	165	154	262	73	18														
	DIFF	4.5	3	1.0	14.2	1.0	0.7	3.8	0.0	23	0.5	0.2	0.6	0.7	3.8	11.9														
	PROB	.0008	.0008	.0008	.0008	.162	.0008	.0008	.482	.0008	.0008	.011	.0008	.078	.0048	.0008														
YEAR	BU	ACR	ABS	BU	ACR	ABS	BU	ACR	ABS	BU	ACR	ABS	BU	ACR	ABS	BU	ACR	ABS	BU	ACR	ABS	BU	ACR	ABS	BU	ACR	ABS	BU	ACR	ABS
	VAR	ACR	ABS	VAR	ACR	ABS	VAR	ACR	ABS	VAR	ACR	ABS	VAR	ACR	ABS	VAR	ACR	ABS	VAR	ACR	ABS	VAR	ACR	ABS	VAR	ACR	ABS	VAR	ACR	ABS
	#			#			#			#			#			#			#			#			#			#		

9000249

140. EXHIBIT D. ADDITIONAL DESCRIPTION OF PHN46. COMPARISON OF PHN46 AND PHZ51 CROSSED TO THE SAME INBRED LINE AND THE HYBRIDS EVALUATED OVER THREE YEARS.

VARIETY #1 - PHN46 HYBRID
VARIETY #2 - PHZ51 HYBRID

* - 10% SIG + - 5% SIG # - 1% SIG																		
YEAR	VAR	BU	ACR	MST	BAR	PLT	HT	EAR	SDG	EST	DRP	GDU	TST	GRN	STA	STK	RT	BRT
	#	ABS	WVN	ABS	ABS	ABS	ABS	HT	VGR	CNT	EAR	ABS	ABS	ABS	ABS	ABS	ABS	ABS
88	1	107.5	125	22.2	87.2	224.8	97.3	5.9	60.5	100.0	1315	560	6.0	5.8	97.5	100.0		
	2	91.9	105	21.8	78.6	234.4	97.3	4.9	63.9	100.0	1280	562	6.2	5.3	99.1	97.6		
	LOCS	5	5	5	2	2	2	4	4	1	1	5	5	5	2	5	1	
	PROB	.070*	.108	.637	.362	.605	.000	.041*	.131			.696	.374	.500	.057*			
89	1	157.9	105	20.9	271.5	124.5	6.6	57.9	100.0	1356	569	5.3	6.1	91.6	96.6	96.7		
	2	149.6	100	19.8	281.9	124.0	5.9	56.0	98.9	1346	577	6.4	5.2	91.6	96.7	98.9		
	LOCS	28	28	28	13	13	10	19	13	9	28	28	28	9	24	15	1	
	PROB	.010*	.034*	.000	.008	.902	.096*	.031*	.022*	.193	.000	.000	.001	.203	.995	.980		
90	1	152.0	104	21.4	256.3	109.7	6.7	59.2	99.8	1454	566	6.6	6.3	95.1	97.6	98.4		
	2	144.1	98	20.6	266.4	112.3	5.7	56.6	99.8	1428	574	7.3	5.6	96.5	98.8	98.9		
	LOCS	102	102	102	55	55	58	73	47	35	100	77	65	94	17	4		
	PROB	.000*	.000*	.000	.008	.028*	.000	.000	.971	.000	.000	.000	.000	.000	.001	.236	.609	
TOTAL SUM	1	151.5	105	21.3	87.2	258.3	112.0	6.6	59.0	99.9	1431	56.6	6.2	6.3	94.5	97.2	98.1	
	2	143.3	99	20.5	78.6	268.5	114.0	5.7	56.8	99.6	1408	57.4	7.0	5.6	95.6	97.8	98.9	
	LOCS	135	135	135	2	70	70	72	96	61	45	133	110	76	123	33	5	
	DIFF	8.2	6	0.9	8.6	10.2	2.0	0.9	2.2	0.2	23	0.8	0.8	0.7	1.1	0.5	0.9	
	PROB	.000*	.000*	.000*	.362	.000*	.060*	.000*	.000*	.098*	.000*	.000*	.000*	.000*	.010*	.576	.338	
YEAR	VAR	BU	ACR	MST	BAR	PLT	HT	EAR	SDG	EST	DRP	GDU	TST	GRN	STA	STK	RT	BRT
	#	ABS	WVN	ABS	ABS	ABS	ABS	HT	VGR	CNT	EAR	ABS	ABS	ABS	ABS	ABS	ABS	ABS

9000249

14D. EXHIBIT D. ADDITIONAL DESCRIPTION OF FH46.
COMPARISON OF FH46 AND FH29 CROSSED TO THE SAME INBRED LINE AND THE
HYBRIDS EVALUATED OVER TWO YEARS.

VARIETY #1 - FH46 HYBRID																				VARIETY #2 - FH29 HYBRID																				* = 10% SIG + = 5% SIG # = 1% SIG									
YEAR		BU		ACR		MST		BAR		PLT		EAR		SDG		EST		DRP		GDJ		SLK		TST		GRN		STA		STK		RT		BRT															
		VAR #				ABS		ABS		HT		ABS		VCR		CNT		EAR		SHD		ABS		WTA		QUL		GRN		LDG		ABS		STK															
88	1	117.5	113	20.8	93.5	220.7	101.1	5.8	57.9	100.0	1414	1490	57.3	6.6	5.9	95.8	100.0																																
	2	99.7	95	19.2	94.4	202.4	95.5	6.1	60.8	99.6	1364	1370	57.0	5.8	4.1	91.1	100.0																																
	LOCS	19	19	19	6	9	9	8	15	12	8	1	1	19	19	14	16																																
	PROB	.000#	.000#	.000#	.755	.000#	.001#	.673	.033+	.104	.001#			.130	.080*	.000#	.037+	1.00																															
89	1	148.0	102	20.2	98.3	296.4	128.8	6.5	61.2	99.0	1341	1328	57.0	5.9	6.0	94.2	95.8																																
	2	140.3	97	19.0	98.3	285.2	123.2	5.8	62.7	98.6	1281	1297	57.7	6.1	4.5	91.4	96.5																																
	LOCS	109	109	111	19	51	51	67	77	86	36	8	8	109	75	50	95																																
	PROB	.000#	.000#	.000#	.973	.000#	.000#	.000#	.000#	.000#	.000#	.057*	.057*	.000#	.328	.000#	.000#	.148																															
TOTAL SUM		1	143.5	104	20.3	97.2	285.0	124.7	6.4	60.7	99.1	1354	1346	57.0	6.1	5.9	94.4	96.1																															
		2	134.2	97	19.0	97.4	272.8	119.1	5.8	62.4	98.7	1296	1305	57.6	6.0	4.4	91.3	96.8																															
		LOCS	128	128	130	25	60	60	75	92	98	44	9	9	128	94	64	111	67																														
		DIFF	9.2	7	1.3	0.2	12.2	5.6	1.8	0.5	58	41	41	0.5	0.0	1.5	3.1	0.6																															
		PROB	.000#	.000#	.000#	.783	.000#	.000#	.000#	.000#	.002#	.000#	.030+	.030+	.000#	.797	.000#	.000#	.148																														
YEAR		VAR #		BU		ACR		MST		BAR		PLT		EAR		VCR		EST		DRP		GDJ		SLK		TST		GRN		STA		STK		RT		BRT													

9000249

140. EXHIBIT D. ADDITIONAL DESCRIPTION OF PH46.
COMPARISON OF PH46 AND PH02 CROSSED TO THE SAME INBRED LINE AND THE
HYBRIDS EVALUATED OVER TWO YEARS.

VARIETY #1 - PH46 HYBRID VARIETY #2 - PH02 HYBRID																							* = 10% SIG + = 5% SIG # = 1% SIG											
YEAR	VAR #	BU ACR	BU ACR	BU ACR	MST	BAR	FLT	HT	EAR	SDG	EST	DRP	CUJ	CUJ	TST	GRN	STA	STK	RT	LDG	STK	BRT												
88	1	117.5	113	20.8	20.0	93.5	220.7	101.1	5.8	57.9	100.0	1414	1490	57.3	6.6	6.6	5.9	95.8	100.0															
	2	103.6	98	19.8	19.1	93.3	196.8	89.4	6.5	57.4	99.5	1346	1320	55.7	6.3	6.3	4.4	97.0	99.2															
	LOCS	19	19	19	19	6	9	9	8	15	12	8	1	19	19	19	14	16	16	5														
	PROB	.002#	.002#	.001#	.894	.000#	.000#	.000#	.000#	.400	.614	.058*	.001#		.000#	.423	.000#	.496	.093*															
89	1	152.6	104	20.0	20.0	98.1	294.1	131.3	6.4	59.2	98.8	1340	1331	56.6	6.1	6.1	6.0	94.6	96.6	95.6														
	2	146.3	99	19.1	19.1	98.1	280.4	121.9	5.9	56.9	98.2	1255	1273	56.5	6.0	6.0	4.8	94.7	95.5	97.5														
	LOCS	245	245	247	247	23	98	98	118	149	175	73	10	245	245	245	115	214	115	15														
	PROB	.000#	.000#	.000#	.985	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.012+	.503	.350	.000#	.877	.152	.428														
TOTAL SUM	1	150.1	104	20.1	20.1	97.2	287.8	128.8	6.4	59.1	98.9	1347	1346	56.6	6.2	6.2	5.9	94.7	96.7	95.6														
	2	143.3	99	19.2	19.2	97.1	273.3	119.1	6.0	56.9	98.2	1264	1277	56.4	6.1	6.1	4.7	94.8	95.7	97.5														
	LOCS	264	264	266	266	29	107	107	126	164	187	81	11	264	264	264	129	230	120	15														
	DIFF	6.8	5	0.9	0.9	0.0	14.5	9.7	0.4	2.2	0.6	83	69	0.2	0.1	0.1	1.2	0.1	1.1	2.0														
	PROB	.000#	.000#	.000#	.942	.000#	.000#	.000#	.000#	.000#	.000#	.000#	.006#	.032+	.032+	.243	.000#	.728	.139	.428														
YEAR	VAR #	BU ACR	BU ACR	BU ACR	MST	BAR	FLT	HT	EAR	SDG	EST	DRP	CUJ	CUJ	TST	GRN	STA	STK	RT	LDG	STK	BRT												

9000249

14E. EXHIBIT E. Statement of the Basis of Applicant's Ownership

Pioneer Hi-Bred International, Inc., Des Moines, Iowa, is the employer of the plant breeders involved in the development and evaluation of PHN46. Pioneer Hi-Bred International, Inc. has the sole rights and ownership of PHN46.